PRODUCT SELECTION GUIDE — FULL SPECIFICATION CATALOG

Ceramic Toilet Collection

21 vitreous china models — back-to-wall, wall-hung and one-piece designs, 1280°C kiln-fired. Data per official production drawings.

cUPC • CE • UKCA • WaterMark — AVAILABLE ON REQUEST | ISO 9001

21 *
TOILET MODELS

100+
MOQ (PCS / MODEL)

600K
ANNUAL CAPACITY (PCS)

* 21 toilet models; 46 products across three categories.

106,000 m² CAMPUS ZONING PLAN

Global Manufacturing Excellence in Ceramic Sanitary Ware

Established in 2016 in Tangshan—China's premier ceramic hub—Taitao is a high-tech manufacturer and wholesaler dedicated to premium sanitary ware solutions.

- **Massive Scale**
  A state-of-the-art facility spanning 106,000+ m²
- **Core Products**
  Professional-grade Ceramic Kitchen Sinks, High-End Toilets, and Wash Basins.
- **Global Reach**
  Primary export markets: North America, Europe (including the United Kingdom), and Oceania (Australia and New Zealand).

Manufacturing Capabilities & Core Technology

Our facilities are engineered for precision and high-volume supply, ensuring reliability for:

Advanced Sanitaryware High-Pressure Casting Equipment: 1 10-mould high-pressure toilet casting machine · 3 12-mould sink high-pressure casting machines · 2 8-mould sink high-pressure casting machines · 1 10-double-mould tank high-pressure casting machine · 43 low-pressure fast-drainage vertical casting lines.

High-Capacity Kilns: Utilizing a 96-meter tunnel kiln and a 128m³ shuttle kiln, we achieve an annual production capacity of 600,000 pieces.

Core Technology: 1200–1280°C tunnel-kiln firing gives every piece a dense, non-porous glazed surface for maximum durability, stain resistance and a premium finish.





BACK-TO-WALL PAN • P-TRAP

Two-Piece Rimless Round-Front Toilet

Size: **740 x 460 x 865 mm**
Rough-In: **180 mm P-Trap Wall Outlet**
Weight: **44.15 KG**

Scan for full specification & drawings
Trap: P-trap
MOQ 100 pcs · Lead time 30 days




BACK-TO-WALL • CONCEALED CISTERN PAN

Rimless Back-To-Wall Toilet

Size: **525 x 355 x 420 mm**
Rough-In: **180 mm P-Trap Wall Outlet**
Weight: **23.9 KG**

Scan for full specification & drawings
Trap: P-trap
MOQ 100 pcs · Lead time 30 days



BACK-TO-WALL PAN • P-TRAP

Two-Piece Rimless Back-To-Wall Toilet

Size: **595 x 378 x 765 mm**
Rough-In: **180 mm P-Trap Wall Outlet**
Weight: **36.15 KG**

Scan for full specification & drawings
Trap: P-trap
MOQ 100 pcs · Lead time 30 days



BACK-TO-WALL PAN • P-TRAP

Two-Piece Back-To-Wall Soft-Square Toilet

Size: **600 x 380 x 780 mm**
Rough-In: **180 mm P-Trap Wall Outlet**
Weight: **36.45 KG**

Scan for full specification & drawings
Trap: P-trap
MOQ 100 pcs · Lead time 30 days



BACK-TO-WALL PAN • P-TRAP

Two-Piece Back-To-Wall D-Shape Toilet

Size: **655 x 380 x 875 mm**
Rough-In: **185 mm P-Trap Wall Outlet**
Weight: **50.7 KG**

Scan for full specification & drawings
Trap: P-trap
MOQ 100 pcs · Lead time 30 days



BACK-TO-WALL PAN • P-TRAP

Two-Piece Rimless Back-To-Wall D-Shape Toilet

Size: **660 x 380 x 870 mm**
Rough-In: **185 mm P-Trap Wall Outlet**
Weight: **50.05 KG**

Scan for full specification & drawings
Trap: P-trap
MOQ 100 pcs · Lead time 30 days



BACK-TO-WALL PAN • P-TRAP

Two-Piece Rimless Back-To-Wall D-Shape Toilet

Size: **660 x 375 x 845 mm**
Rough-In: **180 mm P-Trap Wall Outlet**
Weight: **49.25 KG**

Scan for full specification & drawings
Trap: P-trap
MOQ 100 pcs · Lead time 30 days



BACK-TO-WALL PAN • P-TRAP

Two-Piece Rimless Back-To-Wall D-Shape Toilet

Size: **660 x 375 x 845 mm**
Rough-In: **180 mm P-Trap Wall Outlet**
Weight: **47.2 KG**

Scan for full specification & drawings
Trap: P-trap
MOQ 100 pcs · Lead time 30 days



BACK-TO-WALL • CONCEALED CISTERN PAN

Rimless Back-To-Wall Toilet

Size: **520 x 360 x 420 mm**
Rough-In: **180 mm P-Trap Wall Outlet**
Weight: **28.6 KG**

Scan for full specification & drawings
Trap: P-trap
MOQ 100 pcs · Lead time 30 days




WALL-HUNG • CONCEALED FRAME PAN

Wall-Hung Rimless Soft-Square Toilet

Size: **520 x 360 x 365 mm**
Rough-In: **55 mm P-Trap Wall Outlet**
Weight: **24.9 KG**

Scan for full specification & drawings
Trap: P-trap
MOQ 100 pcs · Lead time 30 days



BACK-TO-WALL PAN • P-TRAP

Two-Piece Rimless Back-To-Wall Soft-Square Toilet

Size: **660 x 375 x 845 mm**
Rough-In: **180 mm P-Trap Wall Outlet**
Weight: **47.85 KG**

Scan for full specification & drawings
Trap: P-trap
MOQ 100 pcs · Lead time 30 days



BACK-TO-WALL PAN • P-TRAP

Two-Piece Rimless Back-To-Wall Soft-Square Toilet

Size: **660 x 375 x 845 mm**
Rough-In: **180 mm P-Trap Wall Outlet**
Weight: **48.25 KG**

Scan for full specification & drawings
Trap: P-trap
MOQ 100 pcs · Lead time 30 days



BACK-TO-WALL • CONCEALED CISTERN PAN

Rimless Back-To-Wall Toilet

Size: **520 x 360 x 420 mm**
Rough-In: **180 mm P-Trap Wall Outlet**
Weight: **27 KG**

Scan for full specification & drawings
Trap: P-trap
MOQ 100 pcs · Lead time 30 days



BACK-TO-WALL PAN • P-TRAP

Two-Piece Rimless Back-To-Wall Toilet

Size: **630 x 375 x 825 mm**
Rough-In: **180 mm P-Trap Wall Outlet**
Weight: **44 KG**

Scan for full specification & drawings
Trap: P-trap
MOQ 100 pcs · Lead time 30 days




BACK-TO-WALL PAN • P-TRAP

Two-Piece Back-To-Wall Toilet

Size: **665 x 380 x 845 mm**
Rough-In: **185 mm P-Trap Wall Outlet**
Weight: **41.7 KG**

Scan for full specification & drawings
Trap: P-trap
MOQ 100 pcs · Lead time 30 days



BACK-TO-WALL • CONCEALED CISTERN PAN

Rimless Back-To-Wall Toilet

Size: **520 x 360 x 425 mm**
Rough-In: **180 mm P-Trap Wall Outlet**
Weight: **26.35 KG**

Scan for full specification & drawings
Trap: P-trap
MOQ 100 pcs · Lead time 30 days



BACK-TO-WALL PAN • P-TRAP

Two-Piece Rimless Back-To-Wall Toilet

Size: **620 x 360 x 835 mm**
Rough-In: **180 mm P-Trap Wall Outlet**
Weight: **43.25 KG**

Scan for full specification & drawings
Trap: P-trap
MOQ 100 pcs · Lead time 30 days



ONE-PIECE • INTEGRATED TANK

One-Piece Siphonic Floor-Mounted Toilet

Size: **660 x 360 x 770 mm**
Rough-In: **295 mm S-Trap Rough-In (Floor Outlet)**
Weight: **49 KG**

Scan for full specification & drawings
Trap: S-trap
MOQ 100 pcs · Lead time 30 days



BACK-TO-WALL PAN • P-TRAP

Two-Piece Rimless Back-To-Wall Toilet

Size: **620 x 375 x 835 mm**
Rough-In: **180 mm P-Trap Wall Outlet**
Weight: **51.05 KG**

Scan for full specification & drawings
Trap: P-trap
MOQ 100 pcs · Lead time 30 days



BACK-TO-WALL PAN • P-TRAP

Two-Piece Rimless Back-To-Wall Toilet

Size: **650 x 375 x 860 mm**
Rough-In: **180 mm P-Trap Wall Outlet**
Weight: **45.45 KG**

Scan for full specification & drawings
Trap: P-trap
MOQ 100 pcs · Lead time 30 days



BACK-TO-WALL PAN • P-TRAP

Two-Piece Rimless Back-To-Wall Toilet

Size: **630 x 360 x 855 mm**
Rough-In: **180 mm P-Trap Wall Outlet**
Weight: **43.15 KG**

Scan for full specification & drawings
Trap: P-trap
MOQ 100 pcs · Lead time 30 days

Order Terms & Lead Time

ORDER TERMS

- MOQ 100 pcs per model, on existing factory moulds.
- Standard finish: Glossy White, with Nano glaze available as an option.
- Your mark kiln-fired under-glaze, laser-etched, or printed on the packaging.
- Container consolidation across several models available for distributors.

LEAD TIME

- 30 days — MOQ 100 pcs, ocean container dispatched.
- 60 days — bulk 1,000 pcs, ocean container dispatched.
- New OEM tooling, counted from design approval: 60 days to a fired first sample.
- 120 days to a finished 1,000 pcs OEM order.
- Approval samples are dispatched by air courier ahead of the bulk run.

SAMPLES & DRAWINGS

- Samples available for catalog models and selected custom work.
- Sample cost and freight are normally covered by the buyer, then credited against the bulk order.
- Technical drawings are available for the models in your enquiry.
- Dimensional data is always taken from the drawing for the model you are ordering.
- Never inferred from a generic catalogue page. File formats confirmed at quotation.

Compliance, Testing & Contact

LISTINGS

- cUPC, CE, UKCA and WaterMark — certificate numbers available on request.
- ISO 9001 quality management system.
- Listings are issued for specific models, not for a whole range.
- Send the model numbers you intend to ship and we confirm the scope that covers them.
- A single model can carry all four listings for multi-market distribution.

TESTING & PACKAGING

- ISTA-3A Certified packaging drop test.
- 5-ply moulded honeycomb export carton, drop-tested.
- Fired through a 96 m tunnel kiln at 1200–1280°C; the glaze matures in the same firing.
- Glaze is fused to the body in one firing — no bonded layer, no delamination.
- Trapway fully glazed on every model — waste clears without clinging.

CONTACT

- Export Desk — service@taitao-hs.com
- WhatsApp — +86 139 1106 5773
- Full catalogue and CAD files — www.taitao-hs.com/downloads/
- OEM / ODM and private label available.
- Tangshan Taitao Sanitary Ware Co., Ltd. — Tangshan, Hebei, China.


TAITAO CT10204R

Two-Piece Rimless Round-Front Toilet

BACK-TO-WALL PAN • P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Product Name	TAITAO CT10204R Two-Piece Rimless Round-Front Toilet (P-Trap 180mm) | Wholesale Manufacturer & Supplier
Model ID & Type	TAITAO-CT10204R (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	740 x 460 x 865 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	430 x 360 mm
Cistern / Tank Dimensions (D x W)	190 x 460 mm
Cistern Type	Close-Coupled Ceramic Cistern
Rough-In	180mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Flushing System	High-Efficiency Washdown (Rimless)
Water Consumption	Dual Flush 4/6L
Net Weight	44.15 KG
Type	Two-Piece Rimless Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC • CE • UKCA • WaterMark — AVAILABLE ON REQUEST | ISO 9001

Scan to open the product page and view the drawing set online

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


TAITAO CB10228

Rimless Back-To-Wall Toilet

BACK-TO-WALL • CONCEALED CISTERN PAN • P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Product Name	**TAITAO CB10228 Rimless Back-To-Wall Toilet (P-Trap 180mm) | Wholesale Manufacturer & Supplier**
Model ID & Type	**TAITAO-CB10228 (European Back-to-Wall WC)**
Overall Dimensions (L x W x H)	**525 x 355 x 420 mm**
Bowl / Seat Width	**350 mm**
Bowl Opening Dimensions (L x W)	**420 x 350 mm**
Cistern / Tank Dimensions (D x W)	**Concealed Cistern**
Cistern Type	**Concealed Cistern (In-Wall, Flush Plate)**
Rough-In	**180mm outlet center height**
Drainage Type	**P-trap (U-trap Seal)**
Waste Outlet Diameter (OD)	**102 mm**
Flushing System	**High-Efficiency Washdown (Rimless)**
Water Consumption	**Dual Flush 4/6L**
Net Weight	**23.9 KG**
Type	**Back-To-Wall Toilet**
Material	**Premium Vitreous China (Ceramic)**
Ceramic Firing Temp	**1280 °C**
Water Absorption Rate	**< 0.2%**
Glaze Options	**Standard / Nano Optional**
Trapway & Structure	**Rimless · Fully Glazed Trapway**

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC • CE • UKCA • WaterMark — AVAILABLE ON REQUEST | ISO 9001

Scan to open the product page and view the drawing set online

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


TAITAO CT10228

Two-Piece Rimless Back-To-Wall Toilet

BACK-TO-WALL PAN • P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Product Name	TAITAO CT10228 Two-Piece Rimless Back-To-Wall Toilet (P-Trap 180mm) | Wholesale Manufacturer & Supplier
Model ID & Type	TAITAO-CT10228 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	595 x 378 x 765 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	420 x 360 mm
Cistern / Tank Dimensions (D x W)	Close-Coupled Ceramic Cistern
Rough-In	180mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Flushing System	High-Efficiency Washdown (Rimless)
Water Consumption	Dual Flush 4/6L
Net Weight	36.15 KG
Type	Two-Piece Rimless Back-To-Wall Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC • CE • UKCA • WaterMark — AVAILABLE ON REQUEST | ISO 9001

Scan to open the product page and view the drawing set online

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


TAITAO CT10406

Two-Piece Back-To-Wall Soft-Square Toilet

BACK-TO-WALL PAN • P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Product Name	TAITAO CT10406 Two-Piece Back-To-Wall Soft-Square Toilet (P-Trap 180mm) | Wholesale Manufacturer & Supplier
Model ID & Type	TAITAO-CT10406 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	600 x 380 x 780 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	425 x 360 mm
Cistern / Tank Dimensions (D x W)	Close-Coupled Ceramic Cistern
Rough-In	180mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Flushing System	High-Efficiency Washdown
Water Consumption	Dual Flush 4/6L
Net Weight	36.45 KG
Type	Two-Piece Back-To-Wall Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimmed · Fully Glazed Trapway · Soft-Square (D-Shape) Bowl

Key Features

- Soft-Square D-Shape Bowl
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC • CE • UKCA • WaterMark — AVAILABLE ON REQUEST | ISO 9001

Scan to open the product page and view the drawing set online

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


TAITAO CT10502

Two-Piece Back-To-Wall D-Shape Toilet

BACK-TO-WALL PAN • P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Product Name	**TAITAO CT10502 Two-Piece Back-To-Wall D-Shape Toilet (P-Trap 185mm) | Wholesale Manufacturer & Supplier**
Model ID & Type	**TAITAO-CT10502 (European Back-to-Wall WC)**
Overall Dimensions (L x W x H)	**655 x 380 x 875 mm**
Bowl / Seat Width	**360 mm**
Bowl Opening Dimensions (L x W)	**432 x 360 mm**
Cistern / Tank Dimensions (D x W)	**Close-Coupled Ceramic Cistern**
Rough-In	**185mm outlet center height**
Drainage Type	**P-trap (U-trap Seal)**
Waste Outlet Diameter (OD)	**102 mm**
Flushing System	**High-Efficiency Washdown**
Water Consumption	**Dual Flush 3/4.5LPF**
Net Weight	**50.7 KG**
Type	**Two-Piece Back-To-Wall Toilet**
Material	**Premium Vitreous China (Ceramic)**
Ceramic Firing Temp	**1280 °C**
Water Absorption Rate	**< 0.2%**
Glaze Options	**Standard / Nano Optional**
Trapway & Structure	**Rimmed · Fully Glazed Trapway · D-Shape Bowl**

Key Features

- D-Shape Bowl
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC • CE • UKCA • WaterMark — AVAILABLE ON REQUEST | ISO 9001

Scan to open the product page and view the drawing set online

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


TAITAO CT10505

Two-Piece Rimless Back-To-Wall D-Shape Toilet

BACK-TO-WALL PAN • P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Product Name	TAITAO CT10505 Two-Piece Rimless Back-To-Wall D-Shape Toilet (P-Trap 185mm) | Wholesale Manufacturer & Supplier
Model ID & Type	TAITAO-CT10505 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	660 x 380 x 870 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	445 x 360 mm
Cistern / Tank Dimensions (D x W)	Close-Coupled Ceramic Cistern
Rough-In	185mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Flushing System	High-Efficiency Washdown (Rimless)
Water Consumption	Dual Flush 3/4.5LPF
Net Weight	50.05 KG
Type	Two-Piece Rimless Back-To-Wall Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway · D-Shape Bowl

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC • CE • UKCA • WaterMark — AVAILABLE ON REQUEST | ISO 9001

Scan to open the product page and view the drawing set online

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


TAITAO CT10506

Two-Piece Rimless Back-To-Wall D-Shape Toilet

BACK-TO-WALL PAN • P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Product Name	TAITAO CT10506 Two-Piece Rimless Back-To-Wall D-Shape Toilet (P-Trap 180mm) | Wholesale Manufacturer & Supplier
Model ID & Type	TAITAO-CT10506 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	660 x 375 x 845 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	437 x 360 mm
Cistern / Tank Dimensions (D x W)	Close-Coupled Ceramic Cistern
Rough-In	180mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Flushing System	High-Efficiency Washdown (Rimless)
Water Consumption	Dual Flush 4/6LPF
Net Weight	49.25 KG
Type	Two-Piece Rimless Back-To-Wall Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway · D-Shape Bowl

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC • CE • UKCA • WaterMark — AVAILABLE ON REQUEST | ISO 9001

Scan to open the product page and view the drawing set online

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


TAITAO CT10506C

Two-Piece Rimless Back-To-Wall D-Shape Toilet

BACK-TO-WALL PAN • P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Product Name	TAITAO CT10506C Two-Piece Rimless Back-To-Wall D-Shape Toilet (P-Trap 180mm) | Wholesale Manufacturer & Supplier
Model ID & Type	TAITAO-CT10506C (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	660 x 375 x 845 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	430 x 360 mm
Cistern / Tank Dimensions (D x W)	Close-Coupled Ceramic Cistern
Rough-In	180mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Seat Height	420 mm
Flushing System	High-Efficiency Washdown (Rimless)
Water Consumption	Dual Flush 4/6LPF
Net Weight	47.2 KG
Type	Two-Piece Rimless Back-To-Wall Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway · D-Shape Bowl

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC • CE • UKCA • WaterMark — AVAILABLE ON REQUEST | ISO 9001

Scan to open the product page and view the drawing set online

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


TAITAO CB10603

Rimless Back-To-Wall Toilet

BACK-TO-WALL • CONCEALED CISTERN PAN • P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Product Name	**TAITAO CB10603 Rimless Back-To-Wall Toilet (P-Trap 180mm) | Wholesale Manufacturer & Supplier**
Model ID & Type	**TAITAO-CB10603 (European Back-to-Wall WC)**
Overall Dimensions (L x W x H)	**520 x 360 x 420 mm**
Bowl / Seat Width	**360 mm**
Cistern / Tank Dimensions (D x W)	**Concealed Cistern**
Cistern Type	**Concealed Cistern (In-Wall, Flush Plate)**
Rough-In	**180mm outlet center height**
Drainage Type	**P-trap (U-trap Seal)**
Waste Outlet Diameter (OD)	**102 mm**
Flushing System	**High-Efficiency Washdown (Rimless)**
Water Consumption	**Dual Flush 4/6L**
Net Weight	**28.6 KG**
Type	**Back-To-Wall Toilet**
Material	**Premium Vitreous China (Ceramic)**
Ceramic Firing Temp	**1280 °C**
Water Absorption Rate	**< 0.2%**
Glaze Options	**Standard / Nano Optional**
Trapway & Structure	**Rimless · Fully Glazed Trapway**

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC • CE • UKCA • WaterMark — AVAILABLE ON REQUEST | ISO 9001

Scan to open the product page and view the drawing set online

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


TAITAO CH10603

Wall-Hung Rimless Soft-Square Toilet

WALL-HUNG • CONCEALED FRAME PAN • P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Product Name	TAITAO CH10603 Wall-Hung Rimless Soft-Square Toilet (P-Trap 55mm) | Wholesale Manufacturer & Supplier
Model ID & Type	TAITAO-CH10603 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	520 x 360 x 365 mm
Bowl / Seat Width	360 mm
Installation	Wall-Hung – pan clips onto a concealed in-wall frame; the cistern is integrated in the frame (sold separately)
Rough-In	55 mm P-trap wall outlet (waste centre 55 mm from finished wall)
Drainage Type	P-trap (Wall Outlet)
Waste Outlet Diameter (OD)	102 mm
Flushing System	High-Efficiency Washdown (Rimless)
Water Consumption	Dual Flush 4/6L
Net Weight	24.9 KG
Type	Wall-Hung Rimless Soft-Square Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC • CE • UKCA • WaterMark – AVAILABLE ON REQUEST | ISO 9001

Scan to open the product page and view the drawing set online

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


TAITAO CT10603

Two-Piece Rimless Back-To-Wall Soft-Square Toilet

BACK-TO-WALL PAN • P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Product Name	TAITAO CT10603 Two-Piece Rimless Back-To-Wall Soft-Square Toilet (P-Trap 180mm) | Wholesale Manufacturer & Supplier
Model ID & Type	TAITAO-CT10603 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	660 x 375 x 845 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	430 x 360 mm
Cistern / Tank Dimensions (D x W)	Close-Coupled Ceramic Cistern
Rough-In	180mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Seat Height	420 mm
Flushing System	High-Efficiency Washdown (Rimless)
Water Consumption	Dual Flush 4/6LPF
Net Weight	47.85 KG
Type	Two-Piece Rimless Back-To-Wall Soft-Square Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway · Soft-Square Bowl

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC • CE • UKCA • WaterMark – AVAILABLE ON REQUEST | ISO 9001

Scan to open the product page and view the drawing set online

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


TAITAO CT10603C

Two-Piece Rimless Back-To-Wall Soft-Square Toilet

BACK-TO-WALL PAN • P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Product Name	TAITAO CT10603C Two-Piece Rimless Back-To-Wall Soft-Square Toilet (P-Trap 180mm) | Wholesale Manufacturer & Supplier
Model ID & Type	TAITAO-CT10603C (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	660 x 375 x 845 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	430 x 360 mm
Cistern / Tank Dimensions (D x W)	Close-Coupled Ceramic Cistern
Rough-In	180mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Seat Height	420 mm
Flushing System	High-Efficiency Washdown (Rimless)
Water Consumption	Dual Flush 4/6LPF
Net Weight	48.25 KG
Type	Two-Piece Rimless Back-To-Wall Soft-Square Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway · Soft-Square Bowl

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC • CE • UKCA • WaterMark — AVAILABLE ON REQUEST | ISO 9001

Scan to open the product page and view the drawing set online

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


TAITAO CB10758

Rimless Back-To-Wall Toilet

BACK-TO-WALL • CONCEALED CISTERN PAN • P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Product Name	TAITAO CB10758 Rimless Back-To-Wall Toilet (P-Trap 180mm) | Wholesale Manufacturer & Supplier
Model ID & Type	TAITAO-CB10758 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	520 x 360 x 420 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	435 x 360 mm
Cistern / Tank Dimensions (D x W)	Concealed Cistern
Cistern Type	Concealed Cistern (In-Wall, Flush Plate)
Rough-In	180mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Flushing System	Rimless Turbo Washdown Flushing
Water Consumption	Dual Flush 4/6L
Net Weight	27 KG
Type	Back-To-Wall Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC • CE • UKCA • WaterMark – AVAILABLE ON REQUEST | ISO 9001

Scan to open the product page and view the drawing set online

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


TAITAO CT10758

Two-Piece Rimless Back-To-Wall Toilet

BACK-TO-WALL PAN • P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Product Name	**TAITAO CT10758 Two-Piece Rimless Back-To-Wall Toilet (P-Trap 180mm) | Wholesale Manufacturer & Supplier**
Model ID & Type	**TAITAO-CT10758 (European Back-to-Wall WC)**
Overall Dimensions (L x W x H)	**630 x 375 x 825 mm**
Bowl / Seat Width	**360 mm**
Bowl Opening Dimensions (L x W)	**435 x 360 mm**
Cistern / Tank Dimensions (D x W)	**Close-Coupled Ceramic Cistern**
Rough-In	**180mm outlet center height**
Drainage Type	**P-trap (U-trap Seal)**
Waste Outlet Diameter (OD)	**102 mm**
Flushing System	**Rimless Turbo Washdown**
Water Consumption	**Dual Flush 4/6LPF**
Net Weight	**44 KG**
Type	**Two-Piece Rimless Back-To-Wall Toilet**
Material	**Premium Vitreous China (Ceramic)**
Ceramic Firing Temp	**1280 °C**
Water Absorption Rate	**< 0.2%**
Glaze Options	**Standard / Nano Optional**
Trapway & Structure	**Rimless · Fully Glazed Trapway**

Key Features

- Rimless Design
- Turbo Washdown Flush
- 1280°C Vitrified China

cUPC • CE • UKCA • WaterMark — AVAILABLE ON REQUEST | ISO 9001

Scan to open the product page and view the drawing set online

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


TAITAO CT10819

Two-Piece Back-To-Wall Toilet

BACK-TO-WALL PAN • P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Product Name	TAITAO CT10819 Two-Piece Back-To-Wall Toilet (P-Trap 185mm) | Wholesale Manufacturer & Supplier
Model ID & Type	TAITAO-CT10819 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	665 x 380 x 845 mm
Bowl / Seat Width	365 mm
Bowl Opening Dimensions (L x W)	440 x 365 mm
Cistern / Tank Dimensions (D x W)	Close-Coupled Ceramic Cistern
Rough-In	185mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Flushing System	High-Efficiency Washdown
Water Consumption	Dual Flush 4/6LPF
Net Weight	41.7 KG
Type	Two-Piece Back-To-Wall Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimmed · Fully Glazed Trapway

Key Features

- Rimmed Bowl Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC • CE • UKCA • WaterMark — AVAILABLE ON REQUEST | ISO 9001

Scan to open the product page and view the drawing set online

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


TAITAO CB10830

Rimless Back-To-Wall Toilet

BACK-TO-WALL • CONCEALED CISTERN PAN • P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Product Name	TAITAO CB10830 Rimless Back-To-Wall Toilet (P-Trap 180mm) | Wholesale Manufacturer & Supplier
Model ID & Type	TAITAO-CB10830 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	520 x 360 x 425 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	415 x 360 mm
Cistern / Tank Dimensions (D x W)	Concealed Cistern
Cistern Type	Concealed Cistern (In-Wall, Flush Plate)
Rough-In	180mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Flushing System	High-Efficiency Washdown (Rimless)
Water Consumption	Dual Flush 4/6L
Net Weight	26.35 KG
Type	Back-To-Wall Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC • CE • UKCA • WaterMark – AVAILABLE ON REQUEST | ISO 9001

Scan to open the product page and view the drawing set online

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


TAITAO CT10830

Two-Piece Rimless Back-To-Wall Toilet

BACK-TO-WALL PAN • P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Product Name	**TAITAO CT10830 Two-Piece Rimless Back-To-Wall Toilet (P-Trap 180mm) | Wholesale Manufacturer & Supplier**
Model ID & Type	**TAITAO-CT10830 (European Back-to-Wall WC)**
Overall Dimensions (L x W x H)	**620 x 360 x 835 mm**
Bowl / Seat Width	**360 mm**
Bowl Opening Dimensions (L x W)	**415 x 360 mm**
Cistern / Tank Dimensions (D x W)	**Close-Coupled Ceramic Cistern**
Rough-In	**180mm outlet center height**
Drainage Type	**P-trap (U-trap Seal)**
Waste Outlet Diameter (OD)	**102 mm**
Flushing System	**High-Efficiency Washdown (Rimless)**
Water Consumption	**Dual Flush 4/6L**
Net Weight	**43.25 KG**
Type	**Two-Piece Rimless Back-To-Wall Toilet**
Material	**Premium Vitreous China (Ceramic)**
Ceramic Firing Temp	**1280 °C**
Water Absorption Rate	**< 0.2%**
Glaze Options	**Standard / Nano Optional**
Trapway & Structure	**Rimless · Fully Glazed Trapway**

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC • CE • UKCA • WaterMark — AVAILABLE ON REQUEST | ISO 9001

Scan to open the product page and view the drawing set online

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


TAITAO CA10910

One-Piece Siphonic Floor-Mounted Toilet

ONE-PIECE • INTEGRATED TANK • S-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Product Name	**TAITAO CA10910 One-Piece Siphonic Floor-Mounted Toilet (S-Trap 295mm) | Wholesale Manufacturer & Supplier**
Model ID & Type	**TAITAO-CA10910 (European Back-to-Wall WC)**
Overall Dimensions (L x W x H)	**660 x 360 x 770 mm**
Cistern / Tank Dimensions	**Integrated One-Piece Tank**
Rough-In	**295 mm rough-in (distance from wall to centre of floor outlet)**
Drainage Type	**S-trap (Floor Outlet)**
Waste Outlet Diameter (OD)	**102 mm**
Flushing System	**High-Efficiency Siphonic Washdown**
Water Consumption	**Dual Flush 4/6L**
Net Weight	**49 KG**
Type	**One-Piece Siphonic Floor-Mounted Toilet**
Material	**Premium Vitreous China (Ceramic)**
Ceramic Firing Temp	**1280 °C**
Water Absorption Rate	**< 0.2%**
Glaze Options	**Standard / Nano Optional**
Trapway & Structure	**Rimmed · Fully Glazed Trapway**

Key Features

- One-Piece Design
- Siphonic Washdown
- Fully Glazed Trapway

cUPC • CE • UKCA • WaterMark — AVAILABLE ON REQUEST | ISO 9001

Scan to open the product page and view the drawing set online

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


TAITAO CT11815C

Two-Piece Rimless Back-To-Wall Toilet

BACK-TO-WALL PAN • P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Product Name	**TAITAO CT11815C Rimless Back-to-Wall Two-Piece Toilet (P-Trap 180mm) | Wholesale Manufacturer & Supplier**
Model ID & Type	**TAITAO-CT11815C (European Back-to-Wall WC)**
Overall Dimensions (L x W x H)	**620 x 375 x 835 mm**
Bowl / Seat Width	**360 mm**
Bowl Opening Dimensions (L x W)	**415 x 360 mm**
Cistern / Tank Dimensions (D x W)	**152 x 375 mm**
Rough-In	**102mm diameter / 180mm outlet center height**
Drainage Type	**P-trap**
Waste Outlet Diameter (OD)	**102 mm**
Flushing System	**High-Efficiency Washdown (Rimless)**
Water Consumption	**Dual Flush 4/6L**
Net Weight	**51.05 KG**
Type	**Two-Piece Rimless Back To Wall Toilet**
Material	**Premium Vitreous China (Ceramic)**
Ceramic Firing Temp	**1280 °C**
Water Absorption Rate	**< 0.2%**
Glaze Options	**Standard / Nano Optional**
Trapway & Structure	**Rimless · Fully Glazed Trapway**

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC • CE • UKCA • WaterMark — AVAILABLE ON REQUEST | ISO 9001

Scan to open the product page and view the drawing set online

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


TAITAO CT11850

Two-Piece Rimless Back-To-Wall Toilet

BACK-TO-WALL PAN • P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Product Name	**TAITAO CT11850 Two-Piece Rimless Back-To-Wall Toilet (P-Trap 180mm) | Wholesale Manufacturer & Supplier**
Model ID & Type	**TAITAO-CT11850 (European Back-to-Wall WC)**
Overall Dimensions (L x W x H)	**650 x 375 x 860 mm**
Bowl / Seat Width	**360 mm**
Bowl Opening Dimensions (L x W)	**430 x 360 mm**
Cistern / Tank Dimensions (D x W)	**Close-Coupled Ceramic Cistern**
Rough-In	**180mm outlet center height**
Drainage Type	**P-trap (U-trap Seal)**
Waste Outlet Diameter (OD)	**102 mm**
Flushing System	**High-Efficiency Washdown**
Water Consumption	**Dual Flush 4/6LPF**
Net Weight	**45.45 KG**
Type	**Two-Piece Rimless Back-To-Wall Toilet**
Material	**Premium Vitreous China (Ceramic)**
Ceramic Firing Temp	**1280 °C**
Water Absorption Rate	**< 0.2%**
Glaze Options	**Standard / Nano Optional**
Trapway & Structure	**Rimless · Fully Glazed Trapway**

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC • CE • UKCA • WaterMark — AVAILABLE ON REQUEST | ISO 9001

Scan to open the product page and view the drawing set online

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


TAITAO CT11860

Two-Piece Rimless Back-To-Wall Toilet

BACK-TO-WALL PAN • P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Product Name	**TAITAO CT11860 Two-Piece Rimless Back-To-Wall Toilet (P-Trap 180mm) | Wholesale Manufacturer & Supplier**
Model ID & Type	**TAITAO-CT11860 (European Back-to-Wall WC)**
Overall Dimensions (L x W x H)	**630 x 360 x 855 mm**
Bowl / Seat Width	**360 mm**
Bowl Opening Dimensions (L x W)	**420 x 360 mm**
Cistern / Tank Dimensions (D x W)	**Close-Coupled Ceramic Cistern**
Rough-In	**180mm outlet center height**
Drainage Type	**P-trap (U-trap Seal)**
Waste Outlet Diameter (OD)	**102 mm**
Flushing System	**High-Efficiency Washdown**
Water Consumption	**Dual Flush 4/6LPF**
Net Weight	**43.15 KG**
Type	**Two-Piece Rimless Back-To-Wall Toilet**
Material	**Premium Vitreous China (Ceramic)**
Ceramic Firing Temp	**1280 °C**
Water Absorption Rate	**< 0.2%**
Glaze Options	**Standard / Nano Optional**
Trapway & Structure	**Rimless · Fully Glazed Trapway**

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC • CE • UKCA • WaterMark — AVAILABLE ON REQUEST | ISO 9001

Scan to open the product page and view the drawing set online

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com